



32 CENTER CONSOLE



SPECIFICATIONS

LOA: 32' / 9.75 m
 Beam: 9' 6" / 2.9 m
 Weight, dry: 7,000 lbs. / 3,175 kgs.
 Fuel capacity: 300 gal. / 1,136 L
 Optional Fuel capacity: 70 gal. / 265 L
 Draft w/engines down: 40" / 1.0 m
 Draft w/engines up: 24" / 0.6 m
 Recommended power:
 Twin Mercury 275 Verados
 Speed: 62+ MPH
 Hull Warranty: 6 Years
 Cruise (Fuel) @ 46 MPH: 26 GPH
 WOT (Fuel) w/Twin 275 Verados: 62 MPH @ 57 GPH
 Maximum Cruising Range: 478 miles @ 90% Capacity

POWER OPTIONS

Single Mercury 275 Verados
 Twin Mercury 150 Optimax
 Twin Mercury 175 Optimax
 Twin Mercury 250 Optimax XS
 Twin Mercury 300 Optimax XS
 Twin Mercury 150 Verados
 Twin Mercury 175 Verados
 Twin Mercury 250 Verados
 Twin Mercury 275 Verados
 Twin Mercury 300 Verados



32 CENTER CONSOLE

STANDARD EQUIPMENT

Anchor locker, recessed in forward bulkhead
Backrest, fixed w/rod holders
Batteries (2 twin engine), w/secured heavy-duty custom bracket
Battery switches (2 twin engine), parallel, explosion-proof
Bilge pumps (2), automatic 1200 GPH
Bowrails, welded 316L stainless steel, thru-bolted
Bow step, folding aluminum
Center console: pre-wired, fiberglass w/flush mount electronics locker, one-piece plexiglass windshield, molded footrest, walk-in head w/VacuFlush, shower, sink, and 25 quart cooler under forward-facing seat
Compass
Fish boxes, 4 under floor w/macerator & overboard drain (800 qt. total capacity)
Fuel gauge, electric
Fuel tank, heavy-duty, baffled, welded inside and out, 3/16" aluminum, powder-coated, 300 gallons, foamed, glassed and bolted in position w/stainless steel pickups
GPS speedometer & Mercury Smartcraft gauges
Graphics, standard selection
Hand laid composite hull and deck manufactured w/multi-directional fiberglass, w/high density coring and Interplastic vinyl ester resin and w/hull and deck laminated, thru-bolted, screwed and sealed together w/heavy duty marine sealant/adhesive
Helm seat, leaning post style w/ fixed backrest & rod holders
Helm station, full instrumentation, molded footrest, grab rail and glove box
Horns, electric
Innerliner, fiberglass, self-bailing w/non-skid surfaces and storage
Lights, halogen (rear mounted)
Lights, navigation
Livewell at transom, 50 gallons
Propellers, stainless steel
Remote oil tank fills (Optimax engines only)
Rod/Gaff storage (4 under gunwales, 6 under floor)
Rod holders (4 in gunwales)
Rubrail with stainless steel insert
Salt water wash down w/extra pump
Sink w/pressurized water system
Steering, hydraulic, w/tilt steering wheel

T-Top heavy duty w/radio & electronics box, canvas and rod holders
Trim indicators for engines and tabs, electronic for engines and mechanical for trim tabs
Trim tabs, heavy-duty hydraulic, offshore hi-performance

OPTIONAL EQUIPMENT

Autopilot, TR-1 Gladiator
Canvas Side Curtains
CE Certification Kit
Depth Gauge
Fresh Water Washdown
Fuel Tank, 70 Gallon Optional (Aux)
Halogen Light (Additional, Front-Top Mounted)
Jumper Cable with Receptacle
Life Jacket Storage in T-Top
Oscillating Fan in Head
Pop-Up Bow Light
Remote Spotlight on Bow
Remote Spotlight on Half Tower
Rod Holders, Kingfish (2) Angled on T-Top
Shipping Cradle
Sirius Satellite Radio
Swim Ladder with Bracket Mount



32 CENTER CONSOLE



Fountain Powerboats Performance Disclaimer

Be advised that performance figures are merely an estimate, not a guarantee, of what you can expect based on our factory testing program. The above listed speeds are verified by radar or GPS or both with one test driver and less than a forty (40) gallon fuel load. Boat speeds and range can vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers, and numerous other factors beyond our control. Fountain Powerboats reserves the right to make changes on standard and optional equipment at any time without prior notice. Useable fuel in a gas tank may be slightly less than the advertised fuel capacity. Speed variance can be up to 4% of the top speed.

Fountain Powerboats Options Disclaimer

Fountain Powerboats reserves the right to make changes on standard and optional equipment at any time without prior notice. Some options may have changed since the print date of this material.

Revised 2007